

Function		KTES Edition v5.01	Special Edition v5.01	Corporate Edition v5.01	Global Edition v5.01
1	Overall				
	Computer Specifications & Operating System Compatibility	Processor: Dual Core 2 GB RAM Minimum free hard disk space: 20 GB • Screen resolution: 1024 x 768 • 48X CD-ROM drive • Network Interface card: 10/100/1000 Base-T Operating systems: XP Pro 32-bit/Server 2003 and 2008 Standard and Enterprise/Vista Home, Home Premium, Business, Enterprise and Ultimate/Windows 7 Pro, in 32-bit and 64-bit mode. All OS with their latest Service Packs and updates.	Processor (without video integration): Dual Core Processor (with video integration) Quad Core 2 GB RAM Minimum free hard disk space: 20 GB (30 GB with video integration) Screen resolution: 1024 x 768 48X CD-ROM drive Network Interface card: 10/100/1000 Base-T Operating systems: XP Pro 32-bit/Server 2003 and 2008 Standard and Enterprise/Vista Home, Home Premium, Business, Enterprise and Ultimate/Windows 7 Pro, in 32-bit and 64-bit mode. All OS with their latest Service Packs and updates.	Processor (without video integration): Dual Core Processor (with video integration) Quad Core 2 GB RAM Minimum free hard disk space: 20 GB (30 GB with video integration) Screen resolution: 1024 x 768 48X CD-ROM drive Network Interface card: 10/100/1000 Base-T Operating systems: XP Pro 32-bit/Server 2003 and 2008 Standard and Enterprise/Vista Home, Home Premium, Business, Enterprise and Ultimate/Windows 7 Pro, in 32-bit and 64-bit mode. All OS with their latest Service Packs and updates.	Processor (without video integration): Dual Core Processor (with video integration) Quad Core 2 GB RAM Minimum free hard disk space: 20 GB (30 GB with video integration) Screen resolution: 1024 x 768 48X CD-ROM drive Network Interface card: 10/100/1000 Base-T Operating systems: XP Pro 32-bit/Server 2003 and 2008 Standard and Enterprise/Vista Home, Home Premium, Business, Enterprise and Ultimate/Windows 7 Pro, in 32-bit and 64-bit mode. All OS with their latest Service Packs and updates.
2	Dedicated Computer Requirements	Non-dedicated	Non-dedicated	Workstation: Non-dedicated Server & gateways: Dedicated Mirror database & redundant server: Dedicated SmartLink & MS-SQL/Oracle interface: Non-dedicated	Workstation: Non-dedicated Server & gateways: Dedicated Mirror database & redundant server: Dedicated SmartLink & MS-SQL/Oracle interface: Non-dedicated
3	Operator Workstations	1	1	20+1	128 + 1
4	Number of Gateways	1	1	40 + 1	Global Gateway / KT-NCC: 128 Multi-Site Gateway: 40
5	Maximum Number Of Controllers Per EntraPass System	0	64	713,728	844,800
6	Maximum Number Of Controllers/KTES Per Gateway	64	64	17,408 per Gateway	Global Gateway: 1024 (No KTES) KT-NCC: 128 (No KTES) Multi-Site Gateway: 17,408
7	Controllers Supported	N/A	KT-100, KT-200, KT-300, KT-400	KT-100, KT-200, KT-300 & KT-400	KT-100, KT-200, KT-300 & KT-400
8	KTES Supported	Yes	Yes	Yes	Yes
9	Max Number Of Connections Per Gateway	64	64	Local (Serial, 485, TCP-IP): 32 Remote (modem dial-up/IP Link/KT-400 in IP mode):512	Global Gateway: 32 (serial, 485, TCP-IP) KT-NCC: 7 (3 Local & 4 TCP/IP) Multi-Site Gateway: 512 Remote (Dial-up, IP Link or KT-400 in IP mode) + 32 Local (RS-232 or USB 115200)
10	Dial-up Modems At Host Site (modem pool)	32	32	32 per Gateway	Global Gateway: N/A KT-NCC: N/A Multi-Site Gateway: 32 per gateway
11	Number Of Remote IP Link / KT-400 in IP Mode	N/A	64	512	Global Gateway: N/A KT-NCC: N/A Multi-Site Gateway: 512 per gateway
12	Total Number Of Readers/Keypads Per EntraPass System	64	256	2,854,912	3,301,568
13	Readers/Keypads Per Gateway	64	256	69,632	Global Gateway: 4,096 KT-NCC: 512 Multi-Site Gateway: 69,632
14	Number Of Monitored Inputs (none or single EOL)	256	16,384	4,456,448	Global Gateway: 262,144 KT-NCC: 32,768 Multi-Site Gateway: 4,456,448

	Function	KTES Edition v5.01	Special Edition v5.01	Corporate Edition v5.01	Global Edition v5.01
	Overall				
15	Number Of Monitored Inputs (double EOL)	256	8,704	2,367,448	Global Gateway: 139,264 KT-NCC: 17,408 Multi-Site Gateway: 2,367,448
16	Number Of Outputs	192	16,384	4,456,448	Global Gateway: 262,144 KT-NCC: 32,768 Multi-Site Gateway: 4,456,448
17	Number Of Cards	DATABASE: Unlimited KTES: Upto 3000 (1 per tenant)	DATABASE: Unlimited KT-100: 6,144 KT-200: 3,000 KT-300: (128k): 8,000 KT-300: (512k): 56,000 KT-400: 100,000 KTES: Up to 3000 (1 per tenant)	DATABASE: Unlimited KT-100: 6,144 KT-200: 3,000 KT-300 (128k): 8,000 KT-300 (512k): 56,000 KT-400: 100,000 KTES: Up to 3000 (1 per tenant)	DATABASE: Unlimited KT-NCC: 56,000 KT-100: 6,144 KT-200: 3,000 KT-300: (128k): 8,000 KT-300: (512k): 56,000 KT-400: 100,000
18	Events Buffered	DATABASE: Unlimited KTES: 4,096	DATABASE: Unlimited KT-100: Typical 4,000 KT-200: Typical 2,400 Min 200 KT-300-128k: 5,000 KT-300-512k: 18,000 KT-400: 20,000 KTES: 4,096	DATABASE: Unlimited KT-100: Typical 4,000 KT-200: Typical 2,400 Min 200 KT-300-128k: 5,000 KT-300-512k: 18,000 KT-400: 20,000 KTES: 4,096	DATABASE: Unlimited KT-NCC: 250,000 KT-100: Typical 4,000 KT-200: Typical 2,400 Min 200 KT-300-128k: 5,000 KT-300-512k: 18,000 KT-400: 20,000
19	Card Families Or Site Codes	Unlimited	Unlimited	Unlimited	Unlimited
20	Elevator Floors Per System	N/A	256	256	256
21	Elevator Floors Per Cab	N/A	KT-400: 64 KT-300: 64 KT-200: 16	KT-400: 64 KT-300: 64 KT-200: 16	KT-400: 64 KT-300: 64 KT-200: 16
22	Elevator Cabs Per Controller	N/A	KT-100: None KT-200: 2 elevator cabs KT-300: 2 elevator cabs KT-400: 4 elevator cabs KTES: None	KT-100: None KT-200: 2 elevator cabs KT-300: 2 elevator cabs KT-400: 4 elevator cabs KTES: None	KT-100: None KT-200: 2 elevator cabs KT-300: 2 elevator cabs KT-400: 4 elevator cabs KTES: None
23	Access Levels	N/A	250 per site	250 per Site	Global Gateway: 250 per gateway KT-NCC: 250 per KT-NCC Multi-Site Gateway: 250 per site
24	Card Access Groups	Unlimited	Unlimited	Unlimited	Unlimited
25	Schedules	100	100	Unlimited system schedules 100 component schedules per site	Unlimited system schedules 100 component schedules per site
26	Intervals per Schedule	4	KT-100: 4 KT-200: 4 KT-300: 4 KT-400: 20 KTES: 4	KT-100: 4 KT-200: 4 KT-300: 4 KT-400: 20 KTES: 4	with Global Gateway or KT-NCC KT-100: 20 KT-200: 20 KT-300: 20 KT-400: 20 KTES: 20
27	Holidays	366 per site	366 per site	366 per site	Global Gateway: 366 KT-NCC: 366 Multi-Site Gateway: 366 per site
28	Holiday Classes (types)	4	4	4	4
29	Supervisor Levels	N/A	N/A	N/A	Global Gateway: 16 KT-NCC: 16 Multi-Site Gateway: N/A
30	System Operators	Unlimited	Unlimited	Unlimited	Unlimited
31	Operator Security Levels	Unlimited (3 predefined)	Unlimited (3 predefined)	Unlimited (3 predefined)	Unlimited (3 predefined)
32	Workspaces	Unlimited	Unlimited	Unlimited	Unlimited
33	Concurrent Operator Languages (per system)	2	2	2	2
34	Log Printer	1	1	1 per workstation	1 per workstation
35	Number Of Report Printers	1	1	1 per workstation	1 per workstation
36	Number Of Badging Printers	1	1	1 per workstation	1 per workstation

	Function	KTES Edition v5.01	Special Edition v5.01	Corporate Edition v5.01	Global Edition v5.01
	Overall				
37	Number Of Tenant Lists	unlimited	unlimited	unlimited	unlimited
38	Number Of Tenants	125 per unit up to 3000 per unit (optional)	125 per unit up to 3000 per unit (optional)	125 per unit up to 3000 per unit (optional)	125 per unit up to 3000 per unit (optional)
	Functions & Features				
39	Areas (Global Anti-Passback)	N/A	N/A	N/A	Global Gateway: 100 per gateway KT-NCC: 100 per KT-NCC Multi-Site Gateway: N/A
40	Card area locator (search)	N/A	N/A	N/A	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: N/A
41	Anti-Passback	N/A	Per controller	Per controller	Global Gateway: Per gateway KT-NCC: Per KT-NCC Multi-Site Gateway: Per controller
42	Monitor Point (input) Groups	100 per site	100 per site	100 per site	Global Gateway: 100 per gateway KT-NCC: 100 per KT-NCC Multi-Site Gateway: 100 per site
43	Input Can Unlock A Door Group	N/A	N/A	N/A	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: N/A
44	Resettable "Request to exit" timer	KTES	KT-100, KT-300, KT-400 and KTES	KT-100, KT-300, KT-400 and KTES	KT-100, KT-300, KT-400 and KTES
45	PIN Verification & Duplication	Yes	Yes	Yes	Yes
46	Cardholder pin lengh	N/A	KT-100: 5 or 6 KT-200: 5 KT-300: 5 or 6 KT-400 : 4 or 5 or 6 KTES: 0	KT-100: 5 or 6 KT-200: 5 KT-300: 5 or 6 KT-400 : 4 or 5 or 6 KTES: 0	KT-100: 5 or 6 KT-200: 5 KT-300: 5 or 6 KT-400 : 4 or 5 or 6 KTES: 0
47	Relay Activation With Keypad * And #	N/A	KT-100, KT-300 and KT-400	KT-100, KT-300 and KT-400	KT-100, KT-300 and KT-400
48	Access Door Groups	100 per site	100 per site	100 per site	Global Gateway: 100 per gateway KT-NCC: 100 per KT-NCC Multi-Site Gateway: 100 per site
49	Elevator Floor Groups	N/A	250 per site	250 per site	Global Gateway: 250 per gateway KT-NCC: 250 per KT-NCC Multi-Site Gateway: 250 per site
50	Relay Groups	100 per site	100 per site	100 per site	Global Gateway: 100 per gateway KT-NCC: 100 per KT-NCC Multi-Site Gateway: 100 per site
51	Controller Groups	N/A	100 per site	100 per site	100 per site
52	Access Level Groups	100 per site	100 per site	100 per site	100 per site
53	View Archive Report On Screen	Yes	Yes	Yes	Yes
54	Export Report Formats	ASCII CSV, Sybase, Dbase IV, PDF, RTF, TXT, XLS	ASCII CSV, Sybase, Dbase IV, PDF, RTF, TXT, XLS	ASCII CSV, Sybase, Dbase IV, PDF, RTF, TXT, XLS	ASCII CSV, Sybase, Dbase IV, PDF, RTF, TXT, XLS
55	Tagged modification events (+,-,=)	Yes	Yes	Yes	Yes
56	Dial-up Workstations	N/A	N/A	Yes RAS or VPN connection	Yes RAS or VPN connection
57	Uninterrupted Backups	Yes	Yes	Yes	Yes
58	Component Comments	Yes	Yes	Yes	Yes
59	View Comments under Operations	Yes	Yes	Yes	Yes
60	Adjustable Pre-alarm door open to long	N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A
61	Multi-swipe function	N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A
62	Programmable Input Event Label Output (In alarm or Activated)	Yes	Yes	Yes	Yes
	Advanced Features				

Function		KTES Edition v5.01	Special Edition v5.01	Corporate Edition v5.01	Global Edition v5.01
	Overall				
63	Number Of Reader Driver Per Controller	KTES: 1	KT-100: 2 KT-200: 1 KT-300: 2 KT-400 : 8 KTES: 1	KT-100: 2 KT-200: 1 KT-300: 2 KT-400 :8 KTES: 1	KT-100: 2 KT-200: 1 KT-300: 2 KT-400 : 8 KTES: 1
64	FIPS 201 Driver (with or without expiration date validation)	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes
65	Extended Door Delays (ADA compliance)	KTES	KT-100, KT-300, KT-400 and KTES	KT-100, KT-300, KT-400 and KTES	KT-100, KT-300, KT-400 and KTES
66	Alarm System Partitions	N/A	N/A	N/A	Global Gateway: 100 per gateway KT-NCC: 100 per KT-NCC
67	Disarm alarm system partition with card and pin when disarmed access is card only	N/A	N/A	N/A	Global Gateway: Yes, with KT-400 KT-NCC: Yes, with KT-400 Multi-Site Gateway: N/A
68	Arm/Disarm External Alarm Panel	N/A	Yes, KT-100, KT-300 and KT-400	Yes, KT-100, KT-300 and KT-400	Yes KT-100, KT-300 and KT-400 with Multi-Site Gateway only
69	Disarm external alarm panels with card and pin when disarmed access is card only	N/A	Yes, with KT-400	Yes, with KT-400	Global Gateway: N/A KT-NCC: N/A Multi-Site Gateway: Yes, with KT-400
70	Data Back-up Utility	Yes	Yes	Yes	Yes
71	Scheduled Data Back-up	Yes	Yes	Yes	Yes
72	Disk Space Management	Yes	Yes	Yes	Yes
73	Upgrade From	N/A	Full upgrade from KTES Edition Card database conversion from WinPass64, Entra LS/RS V1, V2, V3, V4	Full upgrade from KTES Edition, Special Edition Card database conversion from WinPass64, Entra LS/RS V1, V2, V3, V4	Full upgrade from KTES Edition, Special Edition (become CE gateway) Full upgrade from Corporate Edition (become CE gateway) Full upgrade from KL-8000 to V3 to V4 (Global Gateway) Card database conversion from WinPass64, Entra LS/RS V1, V2, V3, V4
74	Registration Required	Yes, if additional KTES tenant codes are used	Yes, if using KAP or if additional KTES tenant codes are used	Yes	Yes
75	Express Set-up	Yes	Yes	Yes	Yes
76	Programmable Historical Reports	Yes	Yes	Yes	Yes
77	Time And Attendance Reports	N/A	Yes	Yes	Yes
78	Manual Modifications to Time and attendance Data	N/A	Yes	Yes	Yes
79	Card List Report (with pictures)	N/A	Yes	Yes	Yes
80	Custom Historical Report or Predefined Quick Report	Unlimited	Unlimited	Unlimited	Unlimited
81	Automatic/manual email report sending using authenticated (non-SSL) or non-authenticated servers	Yes	Yes	Yes	Yes
82	Prioritized queue report	Yes (range from 1 to 99)	Yes (range from 1 to 99)	Yes (range from 1 to 99)	Yes (range from 1 to 99)
83	Manual adjustment of report queue	Yes	Yes	Yes	Yes
84	Scheduled Report Generator	Yes	Yes	Yes	Yes
85	Multiple Card Numbers Per Card Holder	N/A	N/A	Yes (up to 5 cards per user) with enhanced user mode	Yes (up to 5 cards per user) with enhanced user mode
86	WebStation Max Concurrent Connections	N/A	N/A	4 (1 included)	50 (1 included) Unlimited in Hattrix
87	Muster Report	N/A	N/A	N/A	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: N/A
88	Roll Call Report	N/A	Yes	Yes	Yes
89	Multiple card type display support	Yes	Yes	Yes	Yes
90	KAP (Kantech Advantage Program)	N/A	Yes	Yes	Yes

Function		KTES Edition v5.01	Special Edition v5.01	Corporate Edition v5.01	Global Edition v5.01
	Overall				
91	General details available under About Window	N/A	Yes	Yes	Yes
92	Automatic KAP Reminder	N/A	Yes	Yes	Yes
93	Dealer information under About window	Yes	Yes	Yes	Yes
94	Message Filter	Yes	Yes	Yes	Yes
95	Guard Tour	N/A	N/A	N/A	Global Gateway: 100 per gateway KT-NCC: 100 per KT-NCC
96	Integrated Badging	N/A	Yes	Yes	Yes
97	Vocabulary Editor And Translator	Yes	Yes	Yes	Yes
98	Duress (keypad)	Yes	Yes	Yes	Yes
99	Global Activation Of Relay On Events	N/A	N/A	N/A	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: N/A
100	Activate Relay On Card Count	N/A	Yes	Yes	Global Gateway & KT-NCC: Yes - On area full - On area empty Multi-Site Gateway: Yes
101	Local Activation Of Relay On Specific Events	Yes	Yes	Yes	Multi-Site Gateway: Yes
102	Secondary Access Levels (Multiple Access Levels)	N/A	N/A	N/A	Global Gateway: Yes, 12 KT-NCC: Yes, 12 Multi-Site Gateway: N/A
103	Dual Gateway	N/A	N/A	N/A	Yes
104	SmartLink	N/A	N/A	Yes	Yes
105	SmartLink Task Commander	N/A	N/A	Yes	Yes
106	Real time alarm email notification using authenticated (non-SSL) or non-authenticated servers	N/A	N/A	Yes	Yes
107	Mirror Database & Redundant Server	N/A	N/A	Yes, optional	Yes, optional
108	MS-SQL/Oracle Card Interface (CardGateway)	N/A	N/A	Yes, optional	Yes, optional
109	DSC PowerSeries (PC1616, PC1832, PC1864) Virtual Keypad	N/A	Yes	Yes	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: Yes
110	DSC PowerSeries (PC1616, PC1832, PC1864) Integration via EntraPass to receive events, programm usercodes, and manual arming in away or stay mode and manual disarming of partitions	N/A	Yes	Yes	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: Yes
111	DSC PowerSeries (PC1616, PC1832, PC1864) Integration via KT-400 to receive events, program usercodes, and manual arming of partitions in away or stay mode, manual disarming of partitions, card arming of single or multiple partitions	N/A	Yes	Yes	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: Yes
112	MaxSys 4020 Virtual Keypad	N/A	Yes	Yes	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: Yes
113	MaxSys 4020 Integration via EntraPass to receive events, programm usercodes, and manual arming in away or stay mode and manual disarming of partitions	N/A	Yes	Yes	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: Yes

Function		KTES Edition v5.01	Special Edition v5.01	Corporate Edition v5.01	Global Edition v5.01
	Overall				
114	MaxSys 4020 Integration via KT-400 to receive events, program usercodes, and manual arming of partitions in away or stay mode, manual disarming of partitions, card arming of single or multiple partitions	N/A	Yes	Yes	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: Yes
115	Force to disarm with card and Pin. Regular access is card only.	N/A	Yes, with KT-400	Yes, with KT-400	Global Gateway: Yes KT-NCC: Yes Multi-Site Gateway: Yes
	User Interface				
116	Manual Operation (gateway, site, controller, door, elevator, relay, input & output)	Yes, only KTES, doors, relays and inputs	Yes	Yes	Yes
117	Temporary unlock/activation (unlocks doors and ignore door contacts) on doors, relays and input	N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A
118	One time access (door contacts are not ignored)	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : N/A KTES: Yes	KT-100: Yes KT-200: Yes KT-300: Yes KT-400 : Yes KTES: Yes	KT-100: Yes KT-200: Yes KT-300: Yes KT-400 : Yes KTES: Yes	KT-100: Yes KT-200: Yes KT-300: Yes KT-400 : Yes KTES: Yes
119	Configurable Desktops	4	4	8	8
120	Pre-configured Desktops	Yes	Yes	Yes	Yes
121	Desktop events word wrap	Yes	Yes	Yes	Yes
122	Print Database Contents (by section)	Yes	Yes	Yes	Yes
123	System Tree View	Yes	Yes	Yes	Yes
124	System Status Report - Network Connections	Yes	Yes	Yes	Yes
125	System Status Report - Database	Yes	Yes	Yes	Yes
126	System Status Report - Text	Yes	Yes	Yes	Yes
127	System Status Report - Numerical (statistical)	Yes	Yes	Yes	Yes
128	System Status Report - Graphical (KT)	Yes	Yes	Yes	Yes
129	Alarm & Log Book Screens	Yes	Yes	Yes	Yes
131	Events Screen	Yes	Yes	Yes	Yes
132	Filtered Events Screen	Yes	Yes	Yes	Yes
133	Picture Verification	N/A	Yes, 4	Yes, 4	Yes, 4
134	Operator Response (dispatch) Instructions	Yes	Yes	Yes	Yes
135	Dynamic Real-Time Graphics	Unlimited	Unlimited	Unlimited	Unlimited
136	WebViews	Unlimited	Unlimited	Unlimited	Unlimited
137	Video View	N/A	Yes, 1 view per desktop	Yes, 3 views per desktop	Yes, 3 views per desktop
138	Dynamic Graphics Display On Alarm	Yes	Yes	Yes	Yes
139	WebView Display On Alarm	Yes	Yes	Yes	Yes
140	Card Definition	N/A	Yes	Yes	Yes
141	Visitor Database	N/A	N/A	Yes	Yes
142	Card Types	N/A	N/A	Yes	Yes
143	Day Pass	N/A	N/A	Yes	Yes
144	Batch Card Operation	N/A	Yes	Yes	Yes
145	Smartlink Batch Card Operation	N/A	N/A	Yes	Yes
146	Batch Card Load	N/A	Yes	Yes	Yes
147	Export/Import Cards In CSV	N/A	Yes	Yes	Yes
148	Export/Import Tenant Lists In CSV	Yes	Yes	Yes	Yes
149	Operator Electronic Log Book	Yes	Yes	Yes	Yes
150	Last Operator Logout Notification	N/A	N/A	Yes	Yes
151	Smart Search For Users	N/A	Yes	Yes	Yes
152	Secondary Card Search Filter	N/A	Yes	Yes	Yes
153	Card Access Door list	N/A	Yes	Yes	Yes

Function		KTES Edition v5.01	Special Edition v5.01	Corporate Edition v5.01	Global Edition v5.01
	Overall				
154	Context Sensitive Help	Yes	Yes	Yes	Yes
155	Print Graphic And Icons On Component Report	Yes	Yes	Yes	Yes
156	Mandataroy comments on alarm acknowledgment	N/A	Yes	Yes	Yes
157	Single Acknowledgement required when sent to multiple workstations	N/A	N/A	Yes	Yes
158	Operator acknowledgement priority levels	N/A	N/A	N/A	Yes
159	Workstation acknowledgement priority levels	N/A	N/A	N/A	Yes
160	Workstation and operator acknowledgement priority levels	N/A	N/A	N/A	Yes
	Video				
161	Live Video Verification	N/A	N/A	Yes	Yes
162	Automatic Video Display On Alarms	N/A	N/A	Yes	Yes
163	Video Archiving (EntraPass Video Vault)	N/A	N/A	Yes, optional	Yes, optional
164	Export Video Clips In KVA, KVI, AVI, IMG also PS format with HDVR	N/A	N/A	Yes	Yes
165	Export Video Clips with TVR 2.00	N/A	N/A	Yes	Yes
166	Live Views	N/A	N/A	Unlimited	Unlimited
167	Pop-up WebView On Alarm	Yes	Yes	Yes	Yes
168	Manual time based playback	N/A	Yes	Yes	Yes
169	Event based recording playback	N/A	Yes	Yes	Yes
170	PTZ Control on dome cameras	N/A	Yes	Yes	Yes
171	Domain name or IP connection support	N/A	Yes	Yes	Yes
172	Maximum Number Of Video Server (Intellex, HDVR, TVR2, VideoEdge)	N/A	10 Intellex, 2 HDVR, 2 TVR 2.00	128	128 Ulimited with Remote Video Process (Option)
173	Remote Video Server	N/A	N/A	N/A	Yes
	WebStation				
174	Card Management With Access Levels From Web Client	N/A	N/A	Yes	Yes
175	Exporting Card list report	N/A	N/A	Yes	Yes
176	Last Card Transaction	N/A	N/A	Yes	Yes
177	5 Cards Per User	N/A	N/A	Yes	Yes
178	Assigning Secondary Access Levels From Web Client	N/A	N/A	N/A	Yes
179	Picture and Signure capture from web client	N/A	N/A	Yes	Yes
180	Manual Operation (doors, relays, inputs, elevators) From Web Client	N/A	N/A	Yes	Yes
181	Reports Requested By Web Client And Received By Email	N/A	N/A	Yes	Yes
182	Temporary unlock/activation (unlocks doors and ignore door contacts) on doors, relays and input	N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : Yes KTES: N/A
183	One time access (door contacts are not ignored)	KT-100: N/A KT-200: N/A KT-300: N/A KT-400 : N/A KTES: Yes	KT-100: Yes KT-200: Yes KT-300: Yes KT-400 : Yes KTES: Yes	KT-100: Yes KT-200: Yes KT-300: Yes KT-400 : Yes KTES: Yes	KT-100: Yes KT-200: Yes KT-300: Yes KT-400 : Yes KTES: Yes
184	WebViews (IP Cameras, DVR Web Pages) Configured In EntraPass And Viewable By Web Client	N/A	N/A	Yes	Yes
185	Operator Changes (password reset, change password) From Web Client	N/A	N/A	Yes	Yes

	Function	KTES Edition v5.01	Special Edition v5.01	Corporate Edition v5.01	Global Edition v5.01
	Overall				
186	Schedule Management (create, modify, delete)	N/A	N/A	Yes	Yes
187	Access Level Management (create, modify, delete)	N/A	N/A	Yes	Yes
188	View Events in real time from web client	N/A	N/A	Yes	Yes
189	Export events in real time from event list	N/A	N/A	Yes, in CSV and XLS	Yes, in CSV and XLS
190	Available in English and French	N/A	N/A	Yes	Yes
191	Custom Language Possibility	N/A	N/A	Yes	Yes
	MAC (Managed Access Control)				
192	Account Management (hatrix)	N/A	N/A	Yes	Yes

www.EntraPASS.com

8641 S. Warhawk Rd. Conifer, CO 80433
 Patrick.McAllister@EntraPASS.com
 (303) 670-1099 (303) 679-8949 fax